

<i>Messing Rundstangen</i>			<i>Brass round bars</i>		
Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3	Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3
2 mm	0,03	•	40 mm	10,68	•
3 mm	0,06	•	42 mm	11,78	•
4 mm	0,11	•	45 mm	13,52	•
5 mm	0,17	•	46 mm	14,13	•
6 mm	0,24	•	48 mm	15,38	•
7 mm	0,33	•	50 mm	16,69	•
8 mm	0,43	•	52 mm	18,05	•
9 mm	0,54	•	55 mm	20,19	•
10 mm	0,67	•	60 mm	24,03	•
11 mm	0,81	•	65 mm	28,21	•
12 mm	0,96	•	70 mm	32,71	•
13 mm	1,13	•	75 mm	37,55	•
14 mm	1,31	•	80 mm	42,73	•
15 mm	1,50	•	85 mm	48,23	•
16 mm	1,71	•	90 mm	54,08	•
17 mm	1,90	•	95 mm	60,22	•
18 mm	2,16	•	100 mm	66,80	•
19 mm	2,41	•	105 mm	73,70	•
20 mm	2,67	•	110 mm	80,80	•
21 mm	2,94	•	115 mm	88,30	•
22 mm	3,23	•	120 mm	96,10	•
23 mm	3,50	•	125 mm	104,00	•
24 mm	3,84	•	130 mm	113,00	•
25 mm	4,17	•	135 mm	122,00	•
26 mm	4,51	•	140 mm	131,00	•
27 mm	4,87	•	150 mm	150,00	•
28 mm	5,23	•	160 mm	171,00	•
29 mm	5,61	•	170 mm	193,00	•
30 mm	6,01	•	180 mm	216,00	•
32 mm	6,84	•	190 mm	241,00	•
33 mm	7,27	•	200 mm	267,00	•
34 mm	7,72	•	220 mm	323,00	•
35 mm	8,18	•	230 mm	353,00	•
36 mm	8,65	•	240 mm	410,00	•
37 mm	9,15	•	250 mm	417,00	•
38 mm	9,64	•	280 mm	523,00	•
39 mm	10,15	•	300 mm	601,00	•

<i>Messing Sechskantstangen</i>			<i>Brass hexagonal bars</i>		
Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3	Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3
6 mm	0,27	•	14 mm	1,44	•
7 mm	0,36	•	15 mm	1,66	•
8 mm	0,47	•	17 mm	2,13	•
9 mm	0,60	•	19 mm	2,66	•
10 mm	0,74	•	20 mm	2,94	•
11 mm	0,89	•	22 mm	3,56	•
12 mm	1,06	•	24 mm	4,24	•
13 mm	1,24	•			

<i>Messing Flachstangen</i>			<i>Brass flat bars</i>		
Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3	Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3
8 x 4 mm	0,30	•	40 x 8 mm	2,99	•
10 x 2 mm	0,19	•	40 x 10 mm	3,74	•
10 x 3 mm	0,28	•	40 x 12 mm	4,49	•
10 x 4 mm	0,37	•	40 x 15 mm	5,61	•
10 x 5 mm	0,47	•	40 x 20 mm	7,48	•
10 x 6 mm	0,56	•	40 x 25 mm	9,35	•
10 x 8 mm	0,75	•	40 x 30 mm	11,22	•
12 x 4 mm	0,45	•	45 x 20 mm	8,42	•
12 x 5 mm	0,56	•	50 x 4 mm	1,87	•
15 x 2 mm	0,28	•	50 x 5 mm	2,33	•
15 x 3 mm	0,42	•	50 x 6 mm	2,81	•
15 x 4 mm	0,56	•	50 x 8 mm	3,74	•
15 x 5 mm	0,70	•	50 x 10 mm	4,68	•
15 x 6 mm	0,84	•	50 x 12 mm	5,61	•
15 x 8 mm	1,12	•	50 x 15 mm	7,02	•
15 x 10 mm	1,40	•	50 x 20 mm	9,35	•
20 x 2 mm	0,37	•	50 x 25 mm	11,69	•
20 x 3 mm	0,56	•	50 x 30 mm	14,04	•
20 x 4 mm	0,75	•	50 x 40 mm	18,70	•
20 x 5 mm	0,94	•	55 x 25 mm	12,86	•
20 x 6 mm	1,12	•	60 x 3 mm	1,68	•
20 x 8 mm	1,50	•	60 x 4 mm	2,24	•
20 x 10 mm	1,87	•	60 x 5 mm	2,81	•
20 x 12 mm	2,24	•	60 x 6 mm	3,37	•
20 x 15 mm	2,81	•	60 x 8 mm	4,49	•
25 x 2 mm	0,47	•	60 x 10 mm	5,61	•
25 x 3 mm	0,70	•	60 x 15 mm	8,42	•
25 x 4 mm	0,94	•	60 x 20 mm	11,22	•
25 x 5 mm	1,17	•	60 x 25 mm	14,03	•
25 x 6 mm	1,40	•	60 x 30 mm	16,83	•
25 x 8 mm	1,87	•	60 x 40 mm	22,44	•
25 x 10 mm	2,34	•	70 x 8 mm	5,24	•
25 x 12 mm	2,81	•	70 x 10 mm	6,55	•
25 x 15 mm	3,51	•	70 x 12 mm	7,85	•
25 x 20 mm	4,68	•	70 x 15 mm	9,82	•
30 x 2 mm	0,56	•	70 x 20 mm	13,09	•
30 x 3 mm	0,85	•	70 x 25 mm	16,37	•
30 x 4 mm	1,12	•	70 x 30 mm	19,85	•
30 x 5 mm	1,41	•	70 x 40 mm	26,18	•
30 x 6 mm	1,68	•	80 x 5 mm	3,74	•
30 x 8 mm	2,24	•	80 x 8 mm	5,98	•
30 x 10 mm	2,81	•	80 x 10 mm	7,48	•
30 x 12 mm	3,37	•	80 x 15 mm	11,22	•
30 x 15 mm	4,21	•	80 x 20 mm	14,98	•
30 x 20 mm	5,61	•	80 x 25 mm	18,70	•
30 x 25 mm	7,01	•	80 x 30 mm	22,44	•
35 x 5 mm	1,64	•	80 x 40 mm	29,92	•
35 x 6 mm	1,96	•	100 x 6 mm	5,62	•
35 x 8 mm	2,62	•	100 x 8 mm	7,48	•
35 x 10 mm	3,27	•	100 x 10 mm	9,35	•
35 x 25 mm	8,18	•	100 x 15 mm	14,03	•
40 x 3 mm	1,12	•	100 x 20 mm	18,70	•
40 x 4 mm	1,50	•	100 x 25 mm	23,88	•
40 x 5 mm	1,87	•	100 x 30 mm	28,05	•
40 x 6 mm	2,24	•	100 x 40 mm	37,40	•

<i>Messing Vierkantstangen</i>			<i>Brass square bars</i>		
Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3	Abmessung	Gewicht kg / m	MS58 W.Nr. 2.0401 CuZn39Pb3
4 x 4 mm	0,13	•	26 x 26 mm	5,75	•
5 x 5 mm	0,21	•	27 x 27 mm	6,51	•
6 x 6 mm	0,30	•	28 x 28 mm	6,66	•
7 x 7 mm	0,41	•	30 x 30 mm	7,65	•
8 x 8 mm	0,54	•	34 x 34 mm	9,83	•
9 x 9 mm	0,88	•	35 x 35 mm	10,41	•
10 x 10 mm	0,85	•	36 x 36 mm	11,02	•
11 x 11 mm	1,03	•	38 x 38 mm	12,27	•
12 x 12 mm	1,22	•	40 x 40 mm	13,60	•
13 x 13 mm	1,44	•	41 x 41 mm	14,29	•
14 x 14 mm	1,07	•	45 x 45 mm	17,21	•
15 x 15 mm	1,91	•	46 x 46 mm	17,99	•
16 x 16 mm	2,18	•	50 x 50 mm	21,25	•
17 x 17 mm	2,46	•	60 x 60 mm	30,60	•
18 x 18 mm	2,76	•	70 x 70 mm	41,65	•
19 x 19 mm	3,07	•	80 x 80 mm	54,40	•
20 x 20 mm	3,40	•	90 x 90 mm	68,85	•
25 x 25 mm	5,31	•	100 x 100 mm	85,00	•

<i>Messing Bleche u. Plattenzuschnitte</i>		<i>Brass sheets/plates cuts</i>	
Abmessung	MS63 W.Nr. 2.0321 CuZn37	Abmessung	MS58 W.Nr. 2.0401 / 2.0402 CuZn39Pb3/CuZn40Pb2
0,3 mm	•	10,0 mm	•
0,5 mm	•	12,0 mm	•
0,8 mm	•	15,0 mm	•
1,0 mm	•	20,0 mm	•
1,2 mm	•	25,0 mm	•
1,5 mm	•	30,0 mm	•
2,5 mm	•	35,0 mm	•
2,0 mm	•	40,0 mm	•
3,0 mm	•	45,0 mm	•
4,0 mm	•	50,0 mm	•
5,0 mm	•	60,0 mm	•
6,0 mm	•	80,0 mm	•
8,0 mm	•	100,0 mm	•

Plattenformate: 600 x 2000 mm, 1000 x 2000 mm, 1000 x 3000 mm